#02 IMARQUITEC

IMARsplash

IMAR

Ready to be installed Architectural Solutions
perforated and stamped panels
to make them embossed

What does Imarquitec offer you?

Imarquitec are complete systems for external and internal claddings supplied with everything needed for installation.

Chose the suitable model and colour and define the area to be covered. And we deliver it to you with everything necessary for an easy installation.

IMARsplash- Technical Card

Raw material	Aluminium panel in 2 mm. thickness
Dimensions	Width: 890 mm. Height: 1.500 mm. to 4.500 mm.
Micro-perforation	4, 7, 10, 15 & 20 mm.
Stamping	40 mm. diameter
Flashings	Flashings (around cladding) / Corner pieces / Perimeter pieces
Assembly system	Included

Other Systems IMARQUITEC	#01 IMARperf #02 IMARsplash #03 IMARimagen	#04 IMARaqua #05 IMARexp #06 IMARframe	#07 IMARflight #08 IMARgeometry



2.1

PANELS & TRAYS

Lacquered aluminium perforated panel, with circular embossed stamping

2 mm thick aluminium panel. (Other materials and thicknesses under request).



Characteristics

- **Width:** 890 mm. (Distance between axes, 900 mm).
- **Height:** 1.500 mm. to 4.500 mm. (Other options upon request).
- **Perforation:** 4, 7, 10, 15 y 20 mm. holes.
- **Stamping:** 40 mm. diameter.
- **Colour:** to be chosen from the RAL range (visit: www.coloresral.es)

Perforation + Embossed Stamping







Various diameter perforation (4, 7, 10, 15 & 20 mm) which allow for open areas varying from 16% to 38%), combined with 40 mm diameter positive and negative stamping patterns (inwards & outwards stamping) with a 50 mm distance between centres.

The use of this envelope clearly reduces solar incidence on glass surfaces which, based both on climate factors and façade location, allows for measurable energy savings.

2.2

ASSEMBLY SYSTEM

The system includes all necessary elements for proper installation on site.



Substructure type: maximum distances to be covered

- **Anchoring to the façade with Top-Hat profiles and 70 Mm. or 150 mm. L-brackets.**



2.3
FLASHINGS



Flashings (around cladding)



Flashings (around window holes)



Corner pieces



Perimeter pieces



Primoclad

IMAR Benelux represented by:

Primoclad Europe B.V.
Europalaan 16
2408 BG ALPHEN AAN DEN RIJN
THE NETHERLANDS
Tel: +31 (0)85-4013421
www.primoclad.nl
info@primoclad.nl

IMAR
www.imarsa.com